



MATERIAL SAFETY DATA SHEETS  
 ABR® CITRUS PAINT REMOVER - PASTE

---

**SECTION I - PRODUCT IDENTIFICATION**

Manufacturer's Name: American Building Restoration Products, Inc.  
 9720 S. 60th Street  
 Franklin, WI 53132

Product Trade Name: ABR® Citrus Paint Remover - Paste

DOT Proper Shipping Name: Not Regulated

---

**SECTION II - INGREDIENTS**

	CAS NO.	AMT (%)	OSHA PEL	ACGIH TLV
n-Methyl Pyrrolidone	872-50-4	N/A	N/A	N/A

---

**SECTION III - PHYSICAL DATA**

Boiling Point: 352°F  
 Specific Gravity: 1.33  
 Vapor Density: 3.5  
 Vapor Pressure: 0.2  
 pH: 7.5  
 Solubility in Water: Complete  
 Evaporation Rate: Very Slow, Hygroscopic  
 Appearance and Odor: Clear liquid - with citrus odor.

---

**SECTION IV - FIRE AND EXPLOSION HAZARD**

Flash Point: 147°F  
 Flammable Limits (% Volume in Air) LEL: N/A UEL: N/A  
 Extinguishing Media: Use water, fog, foam, CO<sub>2</sub>, or dry chemical extinguishing media.

Special Fire  
 Fighting Procedures: Firefighters should be equipped with self-contained breathing apparatus and turn out gear.

Unusual Fire and  
 Explosion Hazards: There are no known unusual fire or explosion hazards. Combustible liquid. Avoid all sources of ignition. Use non-sparking tools. Bond and ground lines and equipment used during transfer and storage to reduce the possibility of static spark-initiated fire and explosion.

NFPA Codes: Health: 1 Flammable: 2 Reactivity: 0 Personal: B



MATERIAL SAFETY DATA SHEETS  
ABR® CITRUS PAINT REMOVER - PASTE

---

**SECTION V - HEALTH HAZARD DATA**

Threshold Limit Value: See Section II

Effects of Over Exposure:

Eyes: Redness, tearing, severe irritation, corneal opacity.

Skin: Prolonged contact can cause redness, irritation, dermatitis.

Inhalation: Can cause headache, dizziness, nausea, and/or difficulty in breathing.

Internal: Gastrointestinal discomfort.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting lids. Seek prompt medical attention.

SKIN: Wash affected area with soap and water for 15 minutes. If irritation persists, seek medical attention.

INGESTION: Dilute with water and induce vomiting immediately as directed by medical personnel.

Carcinogenicity: Not listed as carcinogen by NTP or IARC, not regulated by OSHA.

HMIS Codes: Health: 1      Flammability: 2      Reactivity: 0      Personal: B

---

**SECTION VI - REACTIVITY DATA**

Stability: Stable

Incompatibility Materials: Oxidizers, strong acids, strong bases

Hazardous Decomposition Products: CO, CO<sub>2</sub>, NO<sub>x</sub>

Hazardous Polymerization: May not occur.

Conditions to Avoids: heat, sparks, flame or other sources of ignition

---

**SECTION VII - SPILL OR LEAK PROCEDURES**

Steps to be taken in case material is released or spilled: Flush with water until slipperiness is gone.

WASTE DISPOSAL METHOD: Contact local municipal, state, or federal agencies to ensure compliance of disposal methods with current regulations.

NOTE: Empty containers can have residues, gases or mists and are subject to proper waste disposal.

Combustible liquid. Avoid all sources of ignition. Use non-sparking tools. Bond and ground lines and equipment used during transfer and storage to reduce the possibility of static spark-initiated fire and explosion.



MATERIAL SAFETY DATA SHEETS  
ABR® CITRUS PAINT REMOVER - PASTE

---

**SECTION VIII - SPECIAL PROTECTION INFORMATION**

Respiratory Protection: Only if required due to poor ventilation , use OSHA approved chemical respirator.

Ventilation: Mechanical: Steel or plastic fan type.

Protective Gloves: Rubber/Impervious

Eye. Protection: Chemical goggles; also wear a face shield if splashing hazard exists.

Other Protective Equipment: Rubber suit with tight-fitting cuffs and collar. Rubber boots.

Use nonexplosive equipment and local exhaust is recommended.

---

**SECTION IX - SPECIAL PRECAUTIONS**

General:

No special requirements needed.

Other Storage and Handling Data:

Consult other sections of this MSDS for information on reactivity and flammability.

Combustible liquid. Avoid all sources of ignition. Use non-sparking tools. Bond and ground lines and equipment used during transfer and storage to reduce the possibility of static spark-initiated fire and explosion.

---

**SECTION X - PREPARATION DATE OF MSDS**

Occupational Health & Safety Dept.

Date: 11/07/06

Supersedes: 07/31/02

---

**DISCLAIMER:**

The information contained herein is based on the data available to us and is believed to be correct. However, American Building Restoration Products, Inc. makes no warranty, expressed or implied from the use there of. American Building Restoration Products, Inc. assumes no responsibility for injury from the use of the product described herein.

---

ABRCPR-P