



MATERIAL SAFETY DATA SHEETS
SUPER BIO STRIP LIQUID

SECTION I - PRODUCT IDENTIFICATION

Manufacturer's Name: American Building Restoration Products, Inc.
9720 S. 60th Street
Franklin, WI. 53132

Emergency Phone No. Chemtrec 1-800-424-9300

Product Trade Name: Super Bio Strip Liquid

DOT Proper Shipping Name: Not Regulated

SECTION II - HAZARDOUS INGREDIENTS

The specific chemical identities of the ingredients of this mixture are considered by FTC to be trade secrets and are withheld in accordance with the provisions of 1910.1200 of Title 29 of the Code of Federal Regulations.

SECTION III - PHYSICAL DATA

Boiling Point: 308°F
Specific Gravity (H₂O=1): 1.33
Vapor Density: 3.38
Percent Volatile By Volume (%): 51.16
pH: 10.5
Solubility in Water: Complete
Evaporation Rate: Very Slow, Hygroscopic
Appearance and Odor: Reddish/brown liquid - with mild odor.

SECTION IV - FIRE AND EXPLOSION HAZARD

Flash Point: None
Extinguishing Media: N/A
Special Fire Fighting Procedures: N/A
Unusual Fire and Explosion Hazards: N/A

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value: See Section II
Effects of Over Exposure:
Eyes: Redness, tearing, serious irritation, corneal opacity.
Skin: Prolonged contact can cause redness, irritation, dermatitis.
Inhalation: Can cause headache, dizziness, nausea, and/or difficulty in breathing.
Internal: Gastrointestinal discomfort.



MATERIAL SAFETY DATA SHEETS

SUPER BIO STRIP LIQUID

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Flush eyes with plenty of water for at least 30 minutes occasionally lifting lids. Get prompt medical attention.

SKIN: Wash affected area with soap and water for 15 minutes. If irritation persists, seek medical attention.

INGESTION: Induce vomiting immediately as directed by medical personnel.

SECTION VI - REACTIVITY DATA

Stability: Stable

Incompatibility: Avoid mixing with acids, solutions containing ammonium, and any active metal such as zinc, aluminum, magnesium, brass, or bronze.

Hazardous Decomposition Products: May produce explosive hydrogen and exothermic reaction.

Hazardous Polymerization: May occur.

Conditions to Avoids: Contact with strong acids.

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Flush with water until slipperiness is gone.

WASTE DISPOSAL METHOD: Contact local municipal, state, or federal agencies to ensure compliance of disposal methods with current regulations.

NOTE: Empty containers can have residues, gases or mists and are subject to proper waste disposal.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: Only if required due to poor ventilation, use OSHA approved chemical respirator.

Ventilation: Mechanical: Steel or plastic fan type.

Protective Gloves: Rubber/Impervious

Eye Protection: Close fitting safety goggles.

Other Protective Equipment: N/A

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing: Keep from freezing.

Freezes at about 45°. Keep away from acids.

Other Precautions: Do not store in or pipe through any of the above metals, use only mild steel or approved plastic.



MATERIAL SAFETY DATA SHEETS
SUPER BIO STRIP LIQUID

SECTION X - PREPARATION DATE OF MSDS

Occupational Health & Safety Dept.

Date: 8/20/01
Supersedes: 4/09/99

DISCLAIMER

The information contained herein is based on the data available to us and is believed to be correct. However, American Building Restoration Products, Inc. makes no warranty, expressed or implied from the use there of. American Building Restoration Products, Inc. assumes no responsibility for injury from the use of the product described herein.

S-BIO-L