



MATERIAL SAFETY DATA SHEET
600B NEW MASONRY BRICK WASH

SECTION I - PRODUCT IDENTIFICATION

Manufacturer's Name: American Building Restoration Products, Inc.
9720 S. 60th St.
Franklin, Wisconsin 53132

Emergency Phone No.: Chemtrec 1-800-424-9300

Product Trade Name: 600B New Masonry Brick Wash

DOT Proper Shipping Name: Hydrochloric Acid,
UN1789 PG II

SECTION II - HAZARDOUS INGREDIENTS

	CAS NO	AMT(%)	OSHA PEL	ACGIH TLV
Hydrochloric Acid	7647-01-0	65-75	TWA CL 5ppm	TWA C7.5mg/m3

SECTION III - PHYSICAL DATA

Boiling Point - Initial: 212°F

Vapor Pressure: N/A

Vapor Density (AIR=1): N/A

Solubility in Water: Complete

Specific Gravity: 1

Percent Volatile: 100

Evaporation Rate: N/A

Appearance and Odor: Colorless to faint yellow liquid
with pungent odor.

SECTION IV - FIRE AND EXPLOSION HAZARD

Flash Point: Non Flammable

Extinguishing Media: Water Spray, Alcohol, Foam or Dry Chemicals.

Special Fire Fighting Procedures: Use self-contained breathing apparatus and full protective clothing. Product generates heat upon addition of water with possible spattering.

Unusual Fire and Explosion Hazards: Hazard when in contact with metal due to generation of Hydrogen Gas.

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value: See Section II

Effects of Over Exposure:

Eyes and skin: Severe irritation and burns.

Inhalation: Irritation of respiratory tract causing coughing, burning, choking, bronchitis and pulmonary edema.

Ingestion: Irritation of gastrointestinal tract.

EMERGENCY AND FIRST AID PROCEDURES: Seek first aid in case of contact or suspicion of contact. CALL PHYSICIAN IMMEDIATELY.

EYES: Immediately flush with cool water for 15-30 minutes. Prompt medical attention is absolutely necessary.

SKIN: Immediately flush skin with large amounts of soapy water, for 15 minutes or until slipperiness is gone. Pay particular attention to



MATERIAL SAFETY DATA SHEET
600B NEW MASONRY BRICK WASH

skin under fingernails. Get medical attention. Remove and wash clothing before reuse.

INGESTION: Drink large quantities of water. Follow with milk of magnesia, egg whites or mineral oil. DO NOT INDUCE VOMITING.

SECTION VI - REACTIVITY DATA

Stability: Stable

Incompatibility: Contact with metals, reacts exothermically with strong alkali, and strong oxidizes.

Hazardous Decomposition Products: HCl (gas)

Hazardous Polymerization: Will Not Occur

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Maintain adequate ventilation. Contain spill and place into containers. Stay upwind, wear protective clothing and self contained breathing apparatus. Neutralize with soda ash or Lime and dispose of properly.

WASTE DISPOSAL METHOD: Contact local municipal, state, or federal agencies to ensure compliance of disposal methods with current regulations.

NOTE: Empty containers can have residues, gases or mists and are subject to proper waste disposal.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: Self contained breathing apparatus.

Ventilation: Maintain adequate ventilation.

Protective Gloves: Acid-proof, gauntlet-type, rubber.

Eye Protection: Chemical Safety Goggles and Face Shield.

Other Protective Equipment: Long-sleeved rubber acid suits and rubber boots.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing: Protect from physical damage to container. Keep container closed when not in use. Use common sense when handling product. Store in cool, dry, well-ventilated area.

SECTION X - PREPARATION DATE OF MSDS

Occupational Health & Safety Dept.

Date: 05/06/09

Supersedes: 12/07/93

DISCLAIMER

The information contained herein is based on the data available to us and is believed to be correct. However, American Building Restoration Products, Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. American Building Restoration Products, assumes no responsibility for injury from the use of the product described herein.

600B