



MATERIAL SAFETY DATA SHEET  
TAG ZAP GRAFFITI BARRIER

---

**SECTION I - PRODUCT IDENTIFICATION**

Manufacturer's Name: American Building Restoration Products, Inc.  
9720 S. 60th Street  
Franklin, WI. 53132

Emergency Phone No.: Chemtrec 1-800-424-9300

Product Trade Name: Tag Zap Graffiti Barrier  
DOT Proper Shipping Name: Sealer

---

**SECTION II - HAZARDOUS INGREDIENTS**

	CAS NO.	AMT(%)	ACGIH TLV
None			

---

**SECTION III - PHYSICAL DATA**

Boiling Point: 212°F  
Specific Gravity (H<sub>2</sub>O=1): Approx 1  
Vapor Pressure (mm Hg): 17.5 mm @ 25°C  
Percent Volatile By Volume: 82%  
Vapor Density (Air=1) Approx 1.0  
Evaporation Rate (water =1): Approx 1.0  
Solubility in water: Dispersible  
Reactivity in Water: Non-reactive  
Appearance and Odor: Light tan emulsion - mild odor.

---

**SECTION IV - FIRE AND EXPLOSION HAZARD**

Flash Point: None  
Flammable Limits in Air (% by volume): N/A  
Extinguishing Media: N/A  
Auto Ignition Temperature: N/A  
Special Fire Fighting Procedures: None  
Unusual Fire and Explosion Hazards: None  
Stability: Stable  
Incompatibility (Material to Avoid): None Known  
Hazardous Decomposition Products: None Known  
Hazardous Polymerization: Will Not Occur

---

**SECTION V - HEALTH HAZARD DATA**

Threshold Limit Value: See Section II



MATERIAL SAFETY DATA SHEET  
TAG ZAP GRAFFITI BARRIER

Signs and Symptoms of Exposure: None Known

Chronic Over Exposure: None Known

**EMERGENCY AND FIRST AID PROCEDURES:**

Eyes: In case of contact with eyes, flush with water for at least 15 minutes. If irritation develops, consult a physician.

Skin: Wash affected area with a mild soap and plenty of water. If irritation develops, consult a physician.

Internal: Call a Poison Control Center, Hospital Emergency Room or Physician. Unless advised otherwise, induce vomiting by giving either Syrup of Ipecac followed by 2 glasses of water or by touching the back of throat with fingers.

---

**SECTION VI - SPILL OR LEAK PROCEDURES**

Steps to be taken in case material is released or spilled: Mop up small spills to prevent slipping. Absorb large spills with a suitable absorbent such as soil, sand or commercial absorbent.

WASTE DISPOSAL METHOD: Contact local municipal, state, or federal agencies to ensure compliance of disposal method with current regulations.

NOTE: Empty containers can have residues, gases or mists and are subject to proper waste disposal.

---

**SECTION VII - SPECIAL PROTECTION INFORMATION**

Respiratory Protection: Not Required

Ventilation: Normal

Local Exhaust: None

Mechanical (General): None

Protective Gloves: Impervious gloves recommended

Eye Protection: Chemical splash goggles

Other Protective Clothing or Equipment: None

---

**SECTION VIII - SPECIAL PRECAUTIONS**

Precautions to be taken in handling and storage: Keep from freezing

---

**SECTION IX - PREPARATION DATE OF MSDS**

Occupational Health & Safety Dept.

Date: 9/12/02  
Supersedes:

---

American Building Restoration



Quality Products Since 1970

---

MATERIAL SAFETY DATA SHEET  
TAG ZAP GRAFFITI BARRIER

---

**DISCLAIMER**

The information contained herein is based on the data available to us and is believed to be correct. However, American Building Restoration Products, Inc. makes no warranty, expressed or implied regarding the accuracy of the results to be obtained from the use thereof. American Building Restoration Products, Inc. assumes no responsibility for injury from the use of the product described herein.

---

TGZPZ GRBR